

380V Ring Making Machine 60HZ 50mm Dia Rubber Ring Making Machine

Basic Information

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity:
- Price:
- Packaging Details:
- Delivery Time:
- Supply Ability:
- J2-6MM 1 set Negotiable Export safety wooden case 5-10 days or negotiation
- 50 Set/Sets per Month

Guangdong, China

Jin Hongxiang

CE

700



Product Specification

- Product Name:
- Machine Type:
- Weight (KG):
- Marketing Type:
- Core Components:
- Warranty:
- Key Selling Points:
- Applicable Industries:
- Control System:

Ordinary Product Taiwan Water-cooled Transformer, Electric Bay Solenoid Valve, PLC Programming,

Circle Making And Butt Welding Machine

Circle Making + Butt Welding, Multi-function

1 Year, 1 Years s: Automatic Rounding + Automatic Butt

Precision Servo

Welding. Fast Speed And Small Circle Error. Beautiful Welding Industries: Environmental Protection Dust Removal

Framework, Fan Net Cover, Cement Pole, Lampshade, Handicrafts, Flowerpot Rack, Luggage Fastener, Daily Hardware Kitchen And Sanitary Appliances.

> PLC Programming + Human-machine Interface Display.



More Images



Product Description

Automatic Butt Welding Ring Making Machine For Lampshade Circles

Performance characteristics

1. Servo feeding, fast looping speed, hydraulic cutter, simple and fast, great strength. Making circle + butt welding can be completed at one time, saving time, labor and labor.

2. The whole machine CNC lathe + CNC milling has good coordination and precision. It is more guaranteed than similar products, faster and more efficient.

3. PLC programming + man-machine interface, simple debugging, Omron 2000 pulse encoder, more accurate identification. Beginners are easy to get started. It also has forward and backward, automatic and manual functions, which is convenient for debugging. Debugging OK is direct and automatic without human supervision.

4. You can make all kinds of circles, make all kinds of arcs, and make circles + butt welding. A machine has multiple functions and uses.



Technical parameter		
Model	JQDH2-6MM	JQDH2-8MM
Wire diameter range (MM)	Hard wire 2-4MM Flexible cord2- 6MM	Hard wire 2-6MM Flexible cord2- 8MM
Servo device	2.6KW+7B	2.3KW+10B
Hydraulic device	1.5KW	2.2KW

Maximum wire feeding speed(M/MIN)	85	52
Circle diameter range(MM)	50-600	50-600
Circle diameter Tolerance (MM)	±0.3	±0.3
Welding power	50KVA	60KVA
Pneumatic brand	Taiwan SNS	Taiwan SNS
Solenoid valve brand	Taiwan,AirTAC	Taiwan,AirTAC
Overall dimension (CM)	220*142*127	220*142*127

FAQ

Q: What is your normal lead time?

A. If there is stock, our company usually receives the payment for goods and delivers them within a week. If it needs to be customized, the delivery cycle is usually 3-4 weeks after receiving the deposit.

Q: What are your terms of payment?

A: We accept TT.

Q: What kind of packing do you offer?

A. Packaging is usually installed for the export of plywood boxes.

Q: What is the minimum order quantity you can produce?

A. Usually we have them in stock, and the minimum order is 1 set.

(13925780098

Q: How to control product quality?

A. We always attach great importance to product quality. Before leaving the factory, it will be fully aged and debugged. And we always adhere to the principle of "providing customers with better quality, better price and better service.

J Dongguan Jinghongxiang Automation Equipment Co., Ltd.

jhx16888@gmail.com 😥 wire-bendingmachine.com

No. 78, Shangzhong Road, Shangdi Industrial Zone, Liaobu Town, Dongguan, Guangdong, China